


Electric High Speed Series MED A/-2

The electric high speed series MED A/-2 incorporate a precision engineered high speed gearbox with two speeds. Faster run down and quick reaction point positioning on time is succeed. A very important safety feature is the controlled loosening at counterclockwise rotation. Gearbox damages are reduced thereby. Our MED A/-2 is especially suitable for maintenance work.



- Torque/angle controlled shut-off
- Repeatability $\pm 3,0\%$
- Rapid bolting by precision mechanical, high-speed gearbox
- Torque Check Function for maintenance optional
- Multi-user level password protection
- Digital setpoint adjustment for high torque accuracy
- Torque control in anticlockwise rotation reduces transmission damages
- Intelligent counter for life cycle and maintenance



| Type | Drive size | Torque [Nm] | | RPM [min ⁻¹] | Weight [kg] | Dimensions [mm] | | | |
|------------|-------------|-------------|--------|--------------------------|-------------|-----------------|-----|-----|-----|
| | | min. | max. | | | A | B | C | D |
| MED 14A | 3/4" | 400 | 1.400 | 36 | 5,4 | 485 | 63 | 73 | 209 |
| MED 31A | 1" | 500 | 3.100 | 30 | 7,8 | 510 | 77 | 77 | 216 |
| MED 31-2* | 1" | 310 | 3.100 | 11 | 6,7 | 465 | 77 | 77 | 216 |
| MED 45-2* | 1" & 1 1/2" | 450 | 4.500 | 6 | 8,8 | 495 | 86 | 86 | 221 |
| MED 70-2* | 1 1/2" | 700 | 7.000 | 4 | 9,5 | 429 | 96 | 96 | 226 |
| MED 80-2* | 1 1/2" | 800 | 8.000 | 4 | 11,3 | 492 | 101 | 101 | 228 |
| MED 110-2* | 1 1/2" | 2.100 | 11.000 | 3 | 13,1 | 510 | 108 | 108 | 232 |

* Gradual adjustment using the torque table. Rotation angle control not possible.

OPTIONS

- Torque Check Function (only at -2)
- Documentation System (only at A)
- Version as a 120 V machine
- ProTight™ worker guidance system (only at A)
- BoltPilot® (only at A)

ACCESSORIES

Tool handle



Barcode scanner



Offset gearbox



Special reaction arm



Double safety trigger



Nose extension



SCOPE OF DELIVERY

- Electric torque wrench MED A/-2
- Reaction arm with two retaining rings
- Torque table (only at -2)
- Calibration certificate
- Operation manual
- Tool case