


Electric Series E-RAD BLU

The precision torque wrench series E-RAD BLU is designed to provide a high degree of accuracy and advanced data logging for high torque assembly applications. Every controller can be used in combination with multiple models wrenches. The built in bluetooth unit allows the torque wrench to communicate with the RAD Smart Socket directly.



- Torque/angle controlled shut-off
- Repeatability $\pm 3,0\%$
- Fastest torque wrench of its kind in the world
- Data logging and tool management features
- Multi-user level password protection
- Operation by μ LCD-touchscreen
- Bluetooth field calibration with the Smart Socket
- One controller can be used with all models wrenches
- Integrated cooling system for continuous operation




Type	Drive size	Torque [Nm]		RPM [min ⁻¹]	Weight [kg]	Dimensions [mm]			
		min.	max.			A	B	C	D
E-RAD BLU 950	¾"	135	950	33	5,5	340	63	77	265
E-RAD BLU 2000	1"	270	2.030	18	5,9	337	69	77	265
E-RAD BLU 3400	1"	340	3.400	9,4	7,8	379	77	77	265
E-RAD BLU 4000	1"	678	4.067	8,5	11,0	426	86	89	283
E-RAD BLU 4500	1½"	678	4.500	8,5	11,0	426	86	89	283
E-RAD BLU 8000	1½"	1.385	8.100	4	13,6	422	101	101	290
E-RAD BLU 10K	1½"	2.034	10.170	3,2	15,0	442	108	108	293
E-RAD BLU 15K	1½"	4.050	15.000	2,3	20,1	466	127	127	302
E-RAD BLU 16.5K	2½"	4.050	16.500	2,3	20,1	466	127	127	302

OPTIONS

- Control unit with 120 V
- Cable length 7,5 m (Other lengths possible on request!)
- ProTight™ worker guidance system

ACCESSORIES



SCOPE OF DELIVERY

- Electric torque wrench E-RAD BLU
- Control unit with 230 V
- Control cable 4,5 m
- Reaction arm with two retaining rings
- Documentation System
- Calibration certificate
- Operation manual
- Tool case